

Chromium 6	(mg/L)	705	06/07/2018	20/11/2018	26/11/2018
Conductivity	(micro S / cm)	821	06/07/2018	20/11/2018	26/11/2018
Nitrogen (total)	(mg/L)	64.6	06/07/2018	20/11/2018	26/11/2018
Oil & Grease	(mg/L)	99	06/07/2018	20/11/2018	26/11/2018
Phosphorus (total)	(mg/L)	1.85	06/07/2018	20/11/2018	26/11/2018
Total Dissolved Solids	(mg/L)	-	06/07/2018	20/11/2018	26/11/2018
Total Suspended Solids	(mg/L)	298	06/07/2018	20/11/2018	26/11/2018

Year 2018		Monitoring Results	Dates		
Pollutant	Unit		Sampled	Obtained	Published
pH	pH units	7.42	04/10/2018	20/11/2018	26/11/2018
BCD	(mg/L)	762	04/10/2018	20/11/2018	26/11/2018
Chromium 6	(mg/L)	<0.004	04/10/2018	20/11/2018	04/12/2018
Conductivity	(micro S / cm)	640	04/10/2018	20/11/2018	26/11/2018
Nitrogen (total)	(mg/L)	60.7	04/10/2018	20/11/2018	26/11/2018
Oil & Grease	(mg/L)	113	04/10/2018	20/11/2018	26/11/2018
Phosphorus (total)	(mg/L)	2.05	04/10/2018	20/11/2018	26/11/2018
Total Dissolved Solids	(mg/L)	-	04/10/2018	20/11/2018	26/11/2018
Total Suspended Solids	(mg/L)	338	04/10/2018	20/11/2018	26/11/2018

Year 2019		Monitoring Results	Dates		
Pollutant	Unit		Sampled	Obtained	Published
pH	pH units	7.35	08/01/2019	19/02/2019	19/02/2019
BCD	(mg/L)	1487	08/01/2019	19/02/2019	19/02/2019
Chromium 6	(mg/L)	<0.004	08/01/2019	19/02/2019	19/02/2019
Conductivity	(micro S / cm)	11780	08/01/2019	19/02/2019	19/02/2019
Nitrogen (total)	(mg/L)	94.3	08/01/2019	19/02/2019	19/02/2019
Oil & Grease	(mg/L)	444	08/01/2019	19/02/2019	19/02/2019
Phosphorus (total)	(mg/L)	2.85	08/01/2019	19/02/2019	19/02/2019
Total Dissolved Solids	(mg/L)	7967	08/01/2019	19/02/2019	19/02/2019
Total Suspended Solids	(mg/L)	740	08/01/2019	19/02/2019	19/02/2019

Year 2019		Monitoring Results	Dates		
Pollutant	Unit		Sampled	Obtained	Published
pH	pH units	7.73	01/03/2019	27/07/2019	05/12/2019
BCD	(mg/L)	2550	01/03/2019	27/07/2019	05/12/2019
Chromium 6	(mg/L)	<0.004	01/03/2019	27/07/2019	05/12/2019
Conductivity	(micro S / cm)	11900	01/03/2019	27/07/2019	05/12/2019
Nitrogen (total)	(mg/L)	269	01/03/2019	27/07/2019	05/12/2019
Oil & Grease	(mg/L)	365	01/03/2019	27/07/2019	05/12/2019
Phosphorus (total)	(mg/L)	7.57	01/03/2019	27/07/2019	05/12/2019
Total Dissolved Solids	(mg/L)	10700	01/03/2019	27/07/2019	05/12/2019
Total Suspended Solids	(mg/L)	2580	01/03/2019	27/07/2019	05/12/2019

Year 2019		Monitoring Results	Dates		
Pollutant	Unit		Sampled	Obtained	Published
pH	pH units	9.05	04/07/2019	26/07/2019	05/12/2019
BCD	(mg/L)	1947	04/07/2019	26/07/2019	05/12/2019
Chromium 6	(mg/L)	0.022	04/07/2019	26/07/2019	05/12/2019
Conductivity	(micro S / cm)	7050	04/07/2019	26/07/2019	05/12/2019
Nitrogen (total)	(mg/L)	293	04/07/2019	26/07/2019	05/12/2019
Oil & Grease	(mg/L)	77	04/07/2019	26/07/2019	05/12/2019
Phosphorus (total)	(mg/L)	2.36	04/07/2019	26/07/2019	05/12/2019
Total Dissolved Solids	(mg/L)	6130	04/07/2019	26/07/2019	05/12/2019
Total Suspended Solids	(mg/L)	470	04/07/2019	26/07/2019	05/12/2019

Year 2019		Monitoring Results	Dates		
Pollutant	Unit		Sampled	Obtained	Published
pH	pH units	7.29	03/10/2019	11/10/2019	05/12/2019
BCD	(mg/L)	2140	03/10/2019	11/10/2019	05/12/2019
Chromium 6	(mg/L)	0.264	03/10/2019	11/10/2019	05/12/2019
Conductivity	(micro S / cm)	6620	03/10/2019	11/10/2019	05/12/2019
Nitrogen (total)	(mg/L)	244	03/10/2019	11/10/2019	05/12/2019
Oil & Grease	(mg/L)	47	03/10/2019	11/10/2019	05/12/2019
Phosphorus (total)	(mg/L)	2.57	03/10/2019	11/10/2019	05/12/2019
Total Dissolved Solids	(mg/L)	4150	03/10/2019	11/10/2019	05/12/2019
Total Suspended Solids	(mg/L)	184	03/10/2019	11/10/2019	05/12/2019

Year 2020		Monitoring Results	Dates		
Pollutant	Unit		Sampled	Obtained	Published
pH	pH units	7.28	06/03/2020	31/03/2020	07/04/2020
BCD	(mg/L)	1890	06/03/2020	31/03/2020	07/04/2020
Chromium 6	(mg/L)	<0.004	06/03/2020	31/03/2020	07/04/2020
Conductivity	(micro S / cm)	6120	06/03/2020	31/03/2020	07/04/2020
Nitrogen (total)	(mg/L)	109	06/03/2020	31/03/2020	07/04/2020
Oil & Grease	(mg/L)	275	06/03/2020	31/03/2020	07/04/2020
Phosphorus (total)	(mg/L)	3.75	06/03/2020	31/03/2020	07/04/2020
Total Dissolved Solids	(mg/L)	4360	06/03/2020	31/03/2020	07/04/2020
Total Suspended Solids	(mg/L)	882	06/03/2020	31/03/2020	07/04/2020

Year 2020		Monitoring Results	Dates		
Pollutant	Unit		Sampled	Obtained	Published
pH	pH units	7.35	02/07/2020	14/07/2020	28/09/2020
BCD	(mg/L)	2170	02/07/2020	14/07/2020	28/09/2020
Chromium 6	(mg/L)	<0.004	02/07/2020	14/07/2020	28/09/2020
Conductivity	(micro S / cm)	6750	02/07/2020	14/07/2020	28/09/2020
Nitrogen (total)	(mg/L)	292	02/07/2020	14/07/2020	28/09/2020
Oil & Grease	(mg/L)	278	02/07/2020	14/07/2020	28/09/2020
Phosphorus (total)	(mg/L)	4.57	02/07/2020	14/07/2020	28/09/2020
Total Dissolved Solids	(mg/L)	4150	02/07/2020	14/07/2020	28/09/2020
Total Suspended Solids	(mg/L)	960	02/07/2020	14/07/2020	28/09/2020

Year 2020		Monitoring Results	Dates		
Pollutant	Unit		Sampled	Obtained	Published
pH	pH units	7.91	01/10/20	20/10/2020	20/10/2020
BCD	(mg/L)	3980	01/10/20	20/10/2020	20/10/2020
Chromium 6	(mg/L)	<0.004	01/10/20	20/10/2020	20/10/2020
Conductivity	(micro S / cm)	6603	01/10/20	20/10/2020	20/10/2020
Nitrogen (total)	(mg/L)	348	01/10/20	20/10/2020	20/10/2020
Oil & Grease	(mg/L)	173	01/10/20	20/10/2020	20/10/2020
Phosphorus (total)	(mg/L)	4.81	01/10/20	20/10/2020	20/10/2020
Total Dissolved Solids	(mg/L)	8160	01/10/20	20/10/2020	20/10/2020
Total Suspended Solids	(mg/L)	1033	01/10/20	20/10/2020	20/10/2020

Year 2021		Monitoring Results	Dates		
Pollutant	Unit		Sampled	Obtained	Published
pH	pH units	12.07	21/01/21	15/02/2021	18/02/2021
BCD	(mg/L)	3559	21/01/21	15/02/2021	18/02/2021
Chromium 6	(mg/L)	0.008	21/01/21	15/02/2021	18/02/2021
Conductivity	(micro S / cm)	6208	21/01/21	15/02/2021	18/02/2021
Nitrogen (total)	(mg/L)	46.31	21/01/21	15/02/2021	18/02/2021
Oil & Grease	(mg/L)	198	21/01/21	15/02/2021	18/02/2021
Phosphorus (total)	(mg/L)	6.01	21/01/21	15/02/2021	18/02/2021
Total Dissolved Solids	(mg/L)	7450	21/01/21	15/02/2021	18/02/2021
Total Suspended Solids	(mg/L)	1640	21/01/21	15/02/2021	18/02/2021

Year 2021		Monitoring Results	Dates		
Pollutant	Unit		Sampled	Obtained	Published
pH	pH units	8.16	09/04/21	13/05/2021	14/05/2021
BCD	(mg/L)	680	09/04/21	13/05/2021	14/05/2021
Chromium 6	(mg/L)	<0.004	09/04/21	13/05/2021	14/05/2021
Conductivity	(micro S / cm)	3476	09/04/21	13/05/2021	14/05/2021
Nitrogen (total)	(mg/L)	97.4	09/04/21	13/05/2021	14/05/2021
Oil & Grease	(mg/L)	34	09/04/21	13/05/2021	14/05/2021
Phosphorus (total)	(mg/L)	1.37	09/04/21	13/05/2021	14/05/2021
Total Dissolved Solids	(mg/L)	2522	09/04/21	13/05/2021	14/05/2021
Total Suspended Solids	(mg/L)	437	09/04/21	13/05/2021	14/05/2021

Year 2021		Monitoring Results	Dates		
Pollutant	Unit		Sampled	Obtained	Published
pH	pH units	9.02	14/07/21	01/08/2021	28/09/2021
BCD	(mg/L)	2278	14/07/21	01/08/2021	28/09/2021
Chromium 6	(mg/L)	<0.004	14/07/21	01/08/2021	28/09/2021
Conductivity	(micro S / cm)	5000	14/07/21	01/08/2021	28/09/2021
Nitrogen (total)	(mg/L)	226	14/07/21	01/08/2021	28/09/2021
Oil & Grease	(mg/L)	532	14/07/21	01/08/2021	28/09/2021
Phosphorus (total)	(mg/L)	5.25	14/07/21	01/08/2021	28/09/2021
Total Dissolved Solids	(mg/L)	3580	14/07/21	01/08/2021	28/09/2021
Total Suspended Solids	(mg/L)	2603	14/07/21	01/08/2021	28/09/2021

Year 2021		Monitoring Results	Dates		
Pollutant	Unit		Sampled	Obtained	Published
pH	pH units	10	30/09/21	04/03/2022	10/03/2022
BCD	(mg/L)	8260	30/09/21	04/03/2022	10/03/2022
Chromium 6	(mg/L)	0.022	30/09/21	04/03/2022	10/03/2022
Conductivity	(micro S / cm)	11780	30/09/21	04/03/2022	10/03/2022
Nitrogen (total)	(mg/L)	465	30/09/21	04/03/2022	10/03/2022
Oil & Grease	(mg/L)	2572	30/09/21	04/03/2022	10/03/2022
Phosphorus (total)	(mg/L)	34.3	30/09/21	04/03/2022	10/03/2022
Total Dissolved Solids	(mg/L)	13467	30/09/21	04/03/2022	10/03/2022
Total Suspended Solids	(mg/L)	18900	30/09/21	04/03/2022	10/03/2022

Year 2022		Monitoring Results	Dates		
Pollutant	Unit		Sampled	Obtained	Published
pH	pH units	7.92	28/01/22	07/02/2022	10/03/2022
BCD	(mg/L)	4560	28/01/22	07/02/2022	10/03/2022
Chromium 6	(mg/L)	<0.004	28/01/22	07/02/2022	10/03/2022
Conductivity	(micro S / cm)	1310	28/01/22	07/02/2022	10/03/2022
Nitrogen (total)	(mg/L)	260	28/01/22	07/02/2022	10/03/2022
Oil & Grease	(mg/L)	1264	28/01/22	07/02/2022	10/03/2022
Phosphorus (total)	(mg/L)	14.7	28/01/22	07/02/2022	10/03/2022
Total Dissolved Solids	(mg/L)	13217	28/01/22	07/02/2022	10/03/2022
Total Suspended Solids	(mg/L)	4883	28/01/22	07/02/2022	10/03/2022